

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of : **Attn: Certificate of Correction Branch**  
Kok Seng CHONG et al. : Attorney Docket No. 2006\_0364A  
Patent No. 7,668,711 : **Confirmation No. 2087**  
Issued February 23, 2010 :  
CODING EQUIPMENT

---

**REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR 1.322**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In accordance with the provisions of 37 CFR 1.322, it is respectfully requested that a Certificate of Correction issue to correct the following:

**In the Claims**

In column 17, claim 2, line 1, “q<sub>13</sub> hi(i)” should read --q<sub>13</sub> hi(i)--.

In column 17, claim 2, line 2, “first threshold value In” should read --first threshold value Tr1--.

In column 17, claim 2, line 3, “ratio q<sub>13</sub> lo(i)” should read --ratio q<sub>13</sub> lo(i)--.

In column 18, claim 5, line 3, “ratio q<sub>13</sub> (i)” should read --ratio q<sub>13</sub> lo(i)--.

### **REMARKS**

Each of the errors listed above apparently arose due to PTO Mistakes. Accordingly, a Certificate of Correction should issue at no expense to patentee. Form PTO-1050 accompanies this request, and indicates the requested changes as discussed above.

Respectfully submitted,

Kok Seng CHONG et al.

/Mark D. Pratt/

By 2010.05.14 11:47:21 -04'00'

\_\_\_\_\_  
Mark D. Pratt  
Registration No. 45,794  
Attorney for Patentees

MDP/clw  
Washington, D.C. 20005-1503  
Telephone (202) 721-8200  
Facsimile (202) 721-8250  
May 14, 2010

To: The Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

PATENT NO : 7,668,711  
DATED : February 23, 2010  
INVENTOR(S) : Kok Seng CHONG et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In the Claims**

In column 17, claim 2, line 1, “q<sub>13</sub> hi(i)” should read --q<sub>13</sub> hi(i)--.

In column 17, claim 2, line 2, “first threshold value In” should read --first threshold value Tr1--.

In column 17, claim 2, line 3, “ratio q<sub>13</sub> lo(i)” should read --ratio q<sub>13</sub> lo(i)--.

In column 18, claim 5, line 3, “ratio q<sub>13</sub> (i)” should read --ratio q<sub>13</sub> lo(i)--.

Wenderoth, Lind & Ponack, L.L.P.  
1030 15<sup>th</sup> Street, N. W., Suite 400 East  
Washington, D.C. 20005-1503

PATENT NO. 7,668,711

No. of additional copies: None